

Volume Contents, Volume 26 (2002)

Vol. 26, No. 1

Special Issue: Artificial Intelligence in Bioinformatics

Artificial Intelligence in Bioinformatics	
D.W. Corne and A.C.R. Martin (Reading, UK)	1
Drug design by machine learning: support vector machines for pharmaceutical data analysis	
R. Burbidge, M. Trotter, B. Buxton and S. Holden (London, UK)	5
Medical target prediction from genome sequence: combining different sequence analysis algorithms with expert knowledge and input from artificial intelligence approaches	
T. Dandekar (Heidelberg, Freiburg, Germany), F. Du, R.H. Schirmer and S. Schmidt (Heidelberg, Germany)	15
A computer system to perform structure comparison using TOPS representations of protein structure	
D. Gilbert (London, Hinxton, UK), D. Westhead (Leeds, UK), J. Viksna (London, UK; Riga, Latvia) and J. Thornton (Hinxton, London, UK)	23
Predicting function from structure: examples of the serine protease inhibitor canonical loop conformation found in extracellular proteins	
R.M. Jackson (London, UK) and R.B. Russell (Harlow, UK)	31
Consistent integration of non-reliable heterogeneous information resources applied to the annotation of transmembrane proteins	
S. Möller (Cambridge, UK), M. Schroeder (London, UK) and R. Apweiler (Cambridge, UK)	41
Application of a time-delay neural network to promoter annotation in the <i>Drosophila melanogaster</i> genome	
M.G. Reese (Berkeley, CA, USA)	51
Generating protein three-dimensional fold signatures using inductive logic programming	
M. Turcotte (London, UK), S.H. Muggleton (York, UK) and M.J.E. Sternberg (London, UK)	57
Applications of neural network prediction of conformational states for small peptides from spectra and of fold classes	
H.G. Bohr, P. Røgen (Lyngby, Denmark) and K.J. Jalkanen (Otaniemi, Finland)	65
AI-based algorithms for protein surface comparisons	
S.J. Pickering, A.J. Bulpitt, N. Efford, N.D. Gold and D.R. Westhead (Leeds, UK)	79
Modelling protein side-chain conformations using constraint logic programming	
M.T. Swain and G.J.L. Kemp (Aberdeen, UK)	85

Vol. 26, No. 2

High-order spatial discretisations in electrochemical digital simulation. Part 3. Combination with the explicit Runge–Kutta algorithm	
D. Britz (Århus C, Denmark), O. Østerby (Aarhus C, Denmark), J. Strutwolf (Coventry, UK) and T. Koch Svenes (Århus C, Denmark)	97
P-stable eighth algebraic order methods for the numerical solution of the Schrödinger equation	
A. Konguetsof and T.E. Simos (Xanthi, Greece)	105
A subset-orientated algorithm for minimizing the number of steps required for synthesis of cyclic-peptide libraries	
T.T. Tran, D. Bryant and M. Smythe (Brisbane, Australia)	113
The study on automorphism group of ESESOC	
J.-F. Hao and L. Xu (Changchun, People's Republic of China)	119

Numerical analysis of Horvath-Kawazoe equation P. Kowalczyk (Warsaw, Poland), A.P. Terzyk, P.A. Gauden (Toruń, Poland) and L. Solarz (Warsaw, Poland)	125
Theoretical study of the morphologically originated noise associated with the transmittance of a precipitation system J.A. Poce-Fatou, R. Alcántara and J. Martín (Puerto Real, Spain).	131
Differential fraction-based kinetic model for simulating hydrodesulfurization process of petroleum fraction W. Zhao, D. Chen and S. Hu (Hangzhou, People's Republic of China)	141
The extended version of the computer package CST for conversions, standardization and transformations of the spin Hamiltonian and the crystal-field Hamiltonian C. Rudowicz and Q. Jian (Hong Kong, China).	149
Radial basis function neural network based QSPR for the prediction of critical pressures of substituted benzenes X. Yao, X. Zhang, R. Zhang, M. Liu, Z. Hu (Lanzhou, China) and B. Fan (Paris, France)	159
Theoretical study of the internal rotational barriers in nitrotoluenes, nitrophenols, and nitroanilines P.C. Chen and S.C. Chen (Taichung, Taiwan, ROC)	171
Artificial neural network model for predicting protein subcellular location Y.-D. Cai (Shanghai, China), X.-J. Liu (Edinburgh, UK) and K.-C. Chou (Kalamazoo, MI, USA)	179
Estimation of the chemical rank for the three-way data: a principal norm vector orthogonal projection approach X. Hong-Ping (Changsha, Nanchong, People's Republic of China), J. Jian-Hui, S. Guo-Li and Y. Ru-Qin (Changsha, People's Republic of China)	183

Vol. 26, No. 3

Note from the Editor and Publisher.	193
Using a Euclid distance discriminant method to find protein coding genes in the yeast genome C.-T. Zhang, J. Wang and R. Zhang (Tianjin, China).	195
Post Hartree-Fock and density functional theory studies on structure and conformational stability of nitrosoethylene and substituted compounds of nitrosoethylene K. Senthilkumar and P. Kolandaivel (Coimbatore, India)	207
Novel atom-type Al indices for QSPR studies of alcohols B. Ren (Guangzhou, People's Republic of China).	223
QSPR models derived for the kinetic data of the gas-phase homolysis of the carbon-methyl bond R. Hiob and M. Karelson (Tartu, Estonia).	237
Development of a quantitative structure-property relationship model for predicting the electrophoretic mobilities Q. Li, L. Dong, R. Jia, X. Chen, Z. Hu (Lanzhou, PR China) and B.T. Fan (Paris, France)	245
Automation of a procedure to find the polynomial which best fits (κ , c_1 , c_2 , T) data of electrolyte solutions by non-linear regression analysis using MATHEMATICA® software E. Cortazar, A. Usobiaga, L.A. Fernández, A. de Diego and J.M. Madariaga (Bilbao, Spain).	253
A graph-theoretic method to identify candidate mechanisms for deriving the rate law of a catalytic reaction L.T. Fan (Manhattan, KS, USA), B. Bertók (Veszprém, Hungary) and F. Friedler (Manhattan, KS, USA; Veszprém, Hungary)	265

Short communication

Prediction of protein structural classes by support vector machines Y.-D. Cai (Shanghai, China), X.-J. Liu (Edinburgh, UK), X.-b. Xu (Cardiff, UK) and K.-C. Chou (Kalamazoo, MI, USA)	293
---	-----

Vol. 26, No. 4

The cyclic voltammetry simulation of a competition between stepwise and concerted dissociative electron transfer, the modeling of alpha apparent variability, the relationship between apparent and elementary kinetic parameters P. Sanecki and P. Skitał (Rzeszow, Poland)	297
A tool for the interactive 3D visualization of electronic structure in molecules and solids T.B. Terriberry, D.F. Cox and D.A. Bowman (Blacksburg, VA, USA)	313

An expectation-maximisation algorithm for the deconvolution of the intrinsic distribution of single molecule's parameters W. Baumgartner and D. Drenckhahn (Würzburg, Germany)	321
Improved QSPR analysis of standard entropy of acyclic and aromatic compounds using optimized correlation weights of linear graph invariants P. Duchowicz, E.A. Castro (La Plata, Argentina) and A.A. Toropov (Tashkent, Uzbekistan)	327
A comparison of the multistep consecutive reduction mode with the multicomponent system reduction mode in cyclic voltammetry P. Sanecki and P. Skitał (Rzeszów, Poland)	333
'Strain effect' descriptors for ATP and ADP derivatives with modified phosphate groups K. Sak, J. Järvi and M. Karelson (Tartu, Estonia)	341
Artificial neural network method for predicting protein secondary structure content Y.-D. Cai (Shanghai, China), X.-J. Liu (Edinburgh, UK), X.-b. Xu (Cardiff, UK) and K.-C. Chou (Kalamazoo, MI, USA)	347
Computer simulation studies on significance of lipid polar head orientation K. Kubica (Wrocław, Poland)	351
Application of novel atom-type AI topological indices to QSPR studies of alkanes B. Ren (Guangzhou, People's Republic of China)	357

Vol. 26, No. 5

Special Issue: Genome and Informatics

Grand metaphors of biology in the genome era A.K. Konopka (Gaithersburg, MD, USA)	397
An incremental algorithm for Z-value computations J.-C. Aude (Gif-sur-Yvette, France) and A. Louis (Evry, France)	403
Modeling comparative mapping using objects and associations G. Bronner, B. Spataro (Villeurbanne, Montbonnot Saint Martin, France), M. Page (Montbonnot Saint Martin, France), C. Gautier (Villeurbanne, Montbonnot Saint Martin, France) and F. Rechenmann (Montbonnot Saint Martin, France)	413
Pairwise sequence alignment using a PROSITE pattern-derived similarity score J.-P. Comet (Evry, France) and J. Henry (Le Chesnay, France)	421
Genome compartmentation by a Hybrid Chromosome Model (H _χ M). Application to <i>Saccharomyces cerevisiae</i> subtelomeres A.G. de Brevern, F. Loirat, A. Badel-Chagnon, C. André, P. Vincens and S. Hazout (Paris, France)	437
Strategies for the identification, the assembly and the classification of integrated biological systems in completely sequenced genomes Y. Quentin, J. Chabaliere and G. Fichant (Marseille, France)	447
Local weighting schemes for protein multiple sequence alignment J. Heringa (London, UK)	459
Evolutionary dynamics of mammalian mRNA untranslated regions by comparative analysis of orthologous human, artiodactyl and rodent gene pairs A. Larizza (Bari, Italy), W. Makalowski (Bethesda, MD, USA), G. Pesole (Milan, Italy) and C. Saccone (Bari, Italy)	479
Applications of recursive segmentation to the analysis of DNA sequences W. Li (Manhasset, NY, New York, NY, USA), P. Bernaola-Galván (Málaga, Spain), F. Haghighi (New York, NY, USA) and I. Grosse (Cold Spring Harbor, NY, USA)	491
Deciphering <i>Arabidopsis thaliana</i> gene neighborhoods through bibliographic co-citations A. Louis (Evry, France), H. Chiapello (Versailles, France), C. Fabry (Evry, Paris, France), E. Ollivier and A. Hénaut (Evry, France)	511
Automatic RNA secondary structure prediction with a comparative approach F. Tahi (Evry, France), M. Gouy (Villeurbanne, France) and M. Régner (Le Chesnay, France)	521
Bias of purine stretches in sequenced chromosomes D. Ussery, D.M. Soumpasis, S. Brunak, H.H. Stærfeldt, P. Worning and A. Krogh (Lyngby, Denmark)	531

Book reviews

This Is Biology: The Science of the Living World: Ernst Mayr, Harvard University Press, Cambridge, MA, Publication Date, July 1998. A.K. Konopka (Gaithersburg, MD, USA)	543
---	-----

Mathematics of Genome Analysis: Jerome K. Percus, Cambridge University Press, Cambridge, 2002. A.K. Konopka (Gaithersburg, MD, USA)	547
Bioinformatics: A Practical Guide to the Analysis of Genes and Proteins: Edited by A.D. Baxeavanis, B.F.F. Ouellette, second ed., Wiley Interscience, New York, 2001. J.-L. Risler (Evry, France).	549
Developing Bioinformatics Computer Skills: C. Gibas, P. Jambeck, O'Reilly, 2001. J.-L. Risler (Evry, France).	553

Vol. 26, No. 6

Application of a Kohonen neural network to the analysis of data regarding the alkylation of toluene with methanol catalyzed by ZSM-5 type zeolites J. Petit (Namur, Belgium), J. Zupan (Ljubljana, Slovenia), L. Leherste and D.P. Vercauteren (Namur, Belgium)	557
Fuzzy logic model of Langmuir probe discharge data B. Kim, J.H. Park and B.-S. Kim (Seoul, Republic of Korea)	573
New molecular surface-based 3D-QSAR method using Kohonen neural network and 3-way PLS K. Hasegawa (Kamakura, Japan), S. Matsuoka, M. Arakawa and K. Funatsu (Toyohashi, Japan).	583
A new redundant variable pruning approach—minor latent variable perturbation—PLS used for QSAR studies on anti-HIV drugs H.-P. Xie (Changsha, Nanchong, PR China), J.-H. Jiang, H. Cui, G.-L. Shen and R.-Q. Yu (Changsha, PR China)	591
Automatic identification by ^{13}C NMR of substituent groups bonded in natural product skeletons M.J.P. Ferreira, F.C. Oliveira, S.A.V. Alvarenga, P.A.T. Macari (São Paulo, Brazil), G.V. Rodrigues (Belo Horizonte, Brazil) and V.P. Emerenciano (São Paulo, Brazil)	601
Use of the Numerov method to improve the accuracy of the spatial discretisation in finite-difference electrochemical kinetic simulations L.K. Bieniasz (Cracow, Poland)	633
On the solution of mixed-integer nonlinear programming models for computer aided molecular design G.M. Ostrovsky, L.E.K. Achenie and M. Sinha (Storrs, CT, USA)	645
CLiBE: a database of computed ligand binding energy for ligand–receptor complexes X. Chen, Z.L. Ji, D.G. Zhi and Y.Z. Chen (Singapore, Singapore).	661
Constructing a useful tool for characterizing amino acid conformers by means of quantum chemical and graph theory indices C. Cárdenas, M. Obregón, E.-J. Llanos, E. Machado, H.-J. Bohórquez, J.-L. Villaveces and M.-E. Patarroyo (Bogotá, Colombia).	667
Author Index, Volume 26	683
Keyword Index, Volume 26	685
Volume Contents, Volume 26	689

